VeroUltraClear



VeroUltra[™]Clear is a transparent PolyJet[™] digital material offering exceptional clarity combined with strength, stiffness and impact resistance. VeroUltraClear simulates PMMA (polymethyl methacrylate), commonly known as acrylic, achieving 86% light transmission through a 6 mm thick sample. VeroUltraClear has a higher level of clarity and transparency and a lower yellow index than standard VeroClear[™]. Thermal properties are similar but mechanical properties are somewhat lower than VeroClear.

Typical applications include concept models and prototypes for eyewear, lighting components, and the replication of glass and clear polymers. Other uses include modeling clear tubes and housings for pumps and gearboxes to view fluid flow and internal mechanisms.

ASTM	Value
D-638-03	39 – 43 MPa (5,650 – 6,240 psi)
D-638-05	20 – 35%
D-638-04	1,400 - 2,100 MPa (203,000 - 304,600 psi)
D-790-03	58 – 72 MPa (8,400 – 10,400 psi)
D-790-04	1,900 - 2,300 MPa (275,000 - 333,000 psi)
D-648-06	47 – 49 °C (117 – 120 °F)
D-648-06	48 – 52 °C (118 – 126 °F)
D-256-06	20 – 30 J/m (0.375 – 0.562 ft-lb/in.)
D-570-98 24hr	1.25 – 1.40%
DMA, E»	52 – 54 °C (125.6 – 129.2 °F)
Scale D	80 – 85
Scale M	70 – 75
ASTM D792	1.18 – 1.19 g/cm ³
USP 281	0.02 – 0.06%
	D-638-03 D-638-05 D-638-04 D-790-03 D-790-04 D-790-04 D-648-06 D-648-06 D-256-06 D-256-06 D-570-98 24hr DMA, E» Scale D Scale D Scale M ASTM D792

System Availability

Printers	Minimum Layer Thickness	Support Structure	Available Colors
J735™ / J750™ J826™ Prime/ J835™	14 microns (0.00055 in.)	SUP705 (water jet removable) SUP706B (soluble)	Clear
J850™ Pro/ J850 Prime	14 microns (0.00055 in.)	SUP705 (water jet removable)	Clear
J4100™	27 microns (0.001 in.)	SUP705 (water jet removable)	Clear



Get in touch.

HEADQUARTERS

3-4 Innovation Way, North Staffs Business Park, Stoke-On-Trent ST6 4BF

info@tritech3d.co.uk 01782 814551

© 2020 Stratasys. All rights reserved. Stratasys and the Stratasys Signet logo are registered trademarks of Stratasys Inc. PolyJét, J735, J750, J826, J835, J850, J4100, VeroUltraClear, VeroClear, SUP705 and SUP706B are trademarks of Stratasys, Inc. All other trademarks are the property of their respective owners, and Stratasys assumes no responsibility with regard to the selection, performance, or use of these non-Stratasys products. Product specifications subject to change without notice. MDS_PJ_VeroUltraClear_1220a

